Single® GPR

Height: 29.3" (74.4cm) Width: 9.3" (23.6cm) Depth: 19.0" (48.3cm)

- Each 1.5GPR portable server (included) has a Safety-Fresh® brew-through lid with vapor seal and spill protection
- Adjustable bypass ensures perfect coffee regardless of batch size
- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches

Agency:

Specifications

Product #: 23050.6001

Water Access: Plumbed

Interface: Cabled

Finish: Stainless

Funnel: Stainless Steel

Faucet: Upper

Additional Features

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	82	60°F (15.5°C)	-	-	-

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

⚠ **WARNING:**

CAD Drawings

2D	Revit	KLC
●		

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026



	Unit			Shipping				
	Height	**Width**	**Depth**	**Height**	**Width**	**Depth**	**Weight**	**Volume**
English	29.3 in.	9.3 in.	19.0 in.	-	-	-	-	-
Metric	74.4 cm	23.6 cm	48.3 cm	-	-	-	-	-

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026

Related Products & Accessories: Single® GPR(23050.6001)

RWS1, 120V

Product #: 12203.0010[1]

STOVE,RWS1 120V/100W W/EXT LEGS

Product #: 12203.6001[1]

FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000

FUNNEL ASSY, SST (DUAL/SGL)

Product #: 20201.1201[2]

DRIP TRAY KIT,SINGLE STD & SH

Product #: 26830.0000

1SH STAND, 120V

Product #: 27825.0000[7]

1SH STAND,120V BLK

Product #: 27825.0003[7]

POUCHPACK FUNL ASSY,COFFEE BL

Product #: 35282.0000[2]

WATER FILTER, EQHP-10L

Product #: 39000.0001[3]

WATER FILTER, EQHP-10

Product #: 39000.0004[3]

SYSTEM, WQ-55(2)5L

Product #: 56000.0001[1]

SYSTEM, WQ-55(2)5

Product #: 56000.0004[1]

SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024[1]

SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027[1]

CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101[1]

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026

Related Products & Accessories: Single® GPR(23050.6001)

CARTRIDGE, WQ-55(2)5	CARTRIDGE, WEQ-10 (1.5)5L	CARTRIDGE, WEQ-10 (1.5)5
Product #: 56000.0104[1]	Product #: 56000.0121[1]	Product #: 56000.0122[1]

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026

Serving & Holding Options: Single® GPR(23050.6001)

RESERVOIR,GPR1.5
FST/FCT TOP HANDLES

Product #: 20950.6001[1]

WELBILT
an Ali Group Company