

# My Cafe AutoPOD

Height: 15.8" Width: 9.7" Depth: 15.7"  
(40.1cm) (24.6cm) (39.9cm)



- Automatically disposes of spent pods after each brew
- Control extraction utilizing pulse-brew technology with BrewMETER®
- Eliminates waste by brewing one fresh cup at a time from a wide variety of coffee and tea pods
- Pod bin and drip tray can be modified for under-counter disposal of pods
- Push and hold hot water button provides up to 10oz (296mL) of hot water for cappuccino, cocoa and soups
- Integrated cup booster allows for 5" or 8" (12.7cm or 20.3cm) cup clearance
- Jet-action sprayhead design allows for proper extraction of all flavoring materials and aromatics
- New single tank pump design provides consistent brew quality on varying water pressures
- Removable pod bin holds up to 25 spent pods
- Works with Shurflo or Flojet pump system
- Recipe labels provided allow for customization of beverages dispensed
- Energy-saver mode reduces tank temperature during idle periods
- PROP 65 Warning Decal included in packaging with equipment

Agency:



## Specifications

**Product #:** 42300.0000

**Water Access:** Plumbed

## Additional Features

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120	11.9	1425	Yes	NEMA 5-15P	60	60°F (15.5°C)	1	2	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

## CAD Drawings

2D	Revit	KLC
●		

**WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
08/28/2020

Unit			Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	15.8 in.	9.7 in.	15.7 in.	18.1 in.	12.4 in.	19.5 in.	29.600 lbs	2.531 ft <sup>3</sup>
Metric	40.1 cm	24.6 cm	39.9 cm	46.0 cm	31.4 cm	49.5 cm	13.427 kgs	0.072 m <sup>3</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
08/28/2020

Related Products & Accessories: My Cafe AutoPOD(42300.0000)



MERCHANDISER, STD  
HEADER-POD

Product #: 39501.0001



RACK ASSY W/U-  
CHANNEL POD

Product #: 39502.0001



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
08/28/2020

# Serving & Holding Options: My Cafe AutoPOD(42300.0000)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
08/28/2020