# FMD-1 BLK

Height: 29.5" (74.9cm) Width: 8.2" (20.8cm) Depth: 21.4" (54.4cm)

- Adjustable legs and drip tray allows up to 7” (17.8cm) opening for 20oz cups
- Designed to be easily serviced from front and top of machine
- Improved automatic rinsing of whipper reduces run-on after beverage is dispensed
- Large easy-to-fill translucent hopper holds 8lb (3.6kg) of product, ensuring quick and timely refilling
- Lighted graphics merchandise drinks for maximizing profits
- Space saving narrow 8” (20.3cm) cabinet width
- Specially designed mixing system guarantees perfect beverages every time
- Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6 grams of powder per second)

Agency:

## Specifications

**Product #:** 28700.6001

**Water Access:** Plumbed

**Finish:** Black

**Hoppers:** One

**Door:** Lit

**Door:** Top Hinge

**Dispense:** Push Button

## Additional Features

## Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input $H^2O$ Temp. | Phase | # Wires plus Ground | Hertz |
|---|---|---|---|---|---|---|---|---|---|
| - | - | - | - | - | 67 | 60°F (15.5°C) | - | - | - |

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|---|---|---|---|
| 20-90 | 138-621 | 1/4" Male Flare Fitting | - |

## CAD Drawings

| 2D | Revit | KLC |
|---|---|---|
| ● | | |

⚠ **WARNING:**

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026




| | Unit | | | Shipping | | | | |
|---|---|---|---|---|---|---|---|---|
| | **Height** | **Width** | **Depth** | **Height** | **Width** | **Depth** | **Weight** | **Volume** |
| English | 29.5 in. | 8.2 in. | 21.4 in. | 30.8 in. | 10.8 in. | 23.8 in. | - | 4.555 ft³ |
| Metric | 74.9 cm | 20.8 cm | 54.4 cm | 78.1 cm | 27.3 cm | 60.5 cm | - | 0.129 m³ |

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026

# Related Products & Accessories: FMD-1 BLK(28700.6001)

SYSTEM, WQ-55(2)5L

Product #: 56000.0001[1]

SYSTEM, WQ-55(2)5

Product #: 56000.0004[1]

SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024[1]

SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027[1]

CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101[1]

CARTRIDGE, WQ-55(2)5

Product #: 56000.0104[1]

CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.0121[1]

CARTRIDGE, WEQ-10 (1.5)5

Product #: 56000.0122[1]

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026

# Serving & Holding Options: FMD-1 BLK(28700.6001)

*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.*

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/21/2026

WELBILT
an Ali Group Company