## ITCB-DV, 29" Trunk, W/Tray&Display Group

Height: 35.0" Width: 11.6" Depth: 22.1" (88.9cm) (29.5cm) (56.1cm)





- Sleek modernized design language, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --with three brew buttons and two batch sizes
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Brews into all BUNN iced tea dispensers (except TDS-5), 1.9 to 3.8 liter airpots, thermal carafes --- and can accommodate BUNN ThermoFresh® Servers [servers not included]
- Includes integrated flip tray that converts to three positions: thermal carafe, airpot and tea dispenser
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)

Additional Features

#### Agency:





#### **Specifications**

Product #: 52200.0000 Funnel: Black Plastic BrewWISE

Water Access: Plumbed Interface: Wireless Finish: Stainless

### **Electrical & Capacity**

| Volts*  | Amps | Watts | Cord<br>Attached | Plug Type  | 8oz cups/hr<br>236ml cups/hr | Input H <sup>2</sup> O<br>Temp. | Phase | # Wires<br>plus Ground | Hertz |
|---------|------|-------|------------------|------------|------------------------------|---------------------------------|-------|------------------------|-------|
| 120     | 14   | 1700  | Yes              | NEMA 5-15P | 80                           | 60°F (15.5°C)                   | 1     | 2                      | 60    |
| 120/208 | 13   | 2650  | -                | N/A        | 123                          | 60°F (15.5°C)                   | 1     | 3                      | 60    |
| 120/240 | 15   | 3500  | -                | N/A        | 163                          | 60°F (15.5°C)                   | 1     | 3                      | 60    |

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements


| PSI   | kPa     | Fitting Supplied        | Water Flow Required (GPM) |  |  |  |
|-------|---------|-------------------------|---------------------------|--|--|--|
| 20-90 | 138-621 | 1/4" Male Flare Fitting | 1.25                      |  |  |  |


#### **CAD Drawings**

| 2D | Revit | KLC |
|----|-------|-----|
| •  |       |     |

MARNING:







| Unit    |          |          |          | Shipping |          |          |            |           |
|---------|----------|----------|----------|----------|----------|----------|------------|-----------|
|         | Height   | Width    | Depth    | Height   | Width    | Depth    | Weight     | Volume    |
| English | 35.0 in. | 11.6 in. | 22.1 in. | 38.0 in. | 13.3 in. | 27.4 in. | 47.680 lbs | 7.976 ft³ |
| Metric  | 88.9 cm  | 29.5 cm  | 56.1 cm  | 96.5 cm  | 33.7 cm  | 69.5 cm  | 21.628 kgs | 0.226 m³  |



## Related Products & Accessories: ITCB-DV, 29" Trunk, W/Tray&Display Group(52200.0000)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



TF SERVER, 1G DSG **GEN3 NOBASE** 

Product #: 42700.0250




TF SERVER, 1G MECH **GEN3 NOBASE** 

Product #: 44000.0250



FUNNEL ASSY, SMART COFFEE BLK-CLEARED

Product #: 53463.0038



Product #: 53463.0039



STAND ASSY KIT, TF SERVER

Product #: 54473.1000



SYSTEM, WQ-55(2)5

Product #: 56000.0004



SYSTEM, WQ-SFTN4000 (1.5)10 TEA

Product #: 56000.0021



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024



SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027



SFTN3500(1)10 TEA

Product #: 56000.0030



CARTRIDGE, WQ-55(2)5

Product #: 56000.0104



CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.0121



CARTRIDGE, WEQ-10 (1.5)5

Product #: 56000.0122



CARTRIDGE, WEQ-SFTN3500(1)10 TEA

Product #: 56000.0129





## Serving & Holding Options: ITCB-DV, 29" Trunk, W/Tray&Display Group(52200.0000)



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5. 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5. RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR, BREW THRU

Product #:34100.0003



THERMAL CARAFE, BLK 1.9L 12PK

Product #:36029.0000



THERMAL CARAFE, BLK 1.83 L 1PK

Product #:36029.0001



THERMAL CARAFE,ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE,ORN 1.9L 1PK

Product #:36252.0001



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



CASE

Product #:36725.0100



TDO-N-3.5, RSVR

Product #:39600.0001



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



TDO-N-3.5, RSVR W/ LIFT HANDLE

Product #:39600.0031



CARAFE,SST 1.9L SHRT BLK 1

Product #:40163.0000

# Serving & Holding Options: ITCB-DV, 29" Trunk, W/Tray&Display Group(52200.0000)







