

# Sure Immersion® 220 120/208V Prtr Port

Height: 39.4" Width: 16.1" Depth: 19.8"  
(100.1cm) (40.9cm) (50.3cm)



- Filter style coffee from a vacuum system with Air Infusion extraction control, resulting in a clean balanced cup with a smooth finish
- Two independent grinders with precision burrs for accurate grind profiles
- Beverage selections include Hot and Iced options
- Each recipe has programmable Air Infusion and Immersion Control for the ideal result in the cup
- Dispenses fresh coffee by the cup or by the carafe
- 5.75" to 8.25" cup clearance
- Two tinted 3lb hoppers allow customers to view fresh whole beans
- Beautiful 10" full color touchscreen with the ability to show promotional videos
- Large pictorial graphics provide an engaging drink selection
- Step-by-step pictures guide the operator through proper cleaning techniques for dependable performance
- Optional BUNNlink® remote monitoring support and over-the-phone diagnosis and repair is available
- Optional cashless reader from USA Technologies works with credit cards, debit cards, NFC and mobile wallets
- Offer an expanded selection of drinks, including options for both hot and iced coffee. The iced coffee option freshly brews coffee to a higher concentrate, making it perfect to pour over a cup of ice without watering down your beverage

Agency: Printer not included. POS printer must operate on the RS-232C standard and have a 25-pin connector (B-9 at machine)



## Specifications

**Product #:** 44400.0101

**Water Access:** Plumbed

**Finish:** Stainless/Black

**Legs:** 4" Black Legs

## Additional Features

Hot Water Button

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120/208	14.0	2900	Yes	NEMA L14-20P	63	60°F (15.5°C)	1	3	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	1.00

## CAD Drawings


2D	Revit	KLC
●		

**WARNING:**



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025








	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	39.4 in.	16.1 in.	19.8 in.	46.0 in.	19.9 in.	25.3 in.	150.000 lbs	13.359 ft³
Metric	100.1 cm	40.9 cm	50.3 cm	116.8 cm	50.5 cm	64.1 cm	68.040 kgs	0.378 m³







BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

# Related Products & Accessories: Sure Immersion® 220 120/208V Prtr Port(44400.0101)

 <p>KEY, DRAWER LOCK SET OF 2</p> <hr/> <p>Product #: 28095.0000</p>	 <p>WATER FILTER, EQHP-10L</p> <hr/> <p>Product #: 39000.0001<sup>3</sup></p>	 <p>TABLET, CLEANING 1 JAR SURE IMMERSION</p> <hr/> <p>Product #: 42933.0002</p>	 <p>TABLET, CLEANING 2JARS/PACK SURE IMMRSN</p> <hr/> <p>Product #: 42933.0102</p>	 <p>FILTER, PAPER 1 ROLL</p> <hr/> <p>Product #: 50766.0001</p>
--	--	---	--	--

 <p>SYSTEM, WQ-55(2)5L</p> <hr/> <p>Product #: 56000.0001<sup>1</sup></p>	 <p>SYSTEM, WEQ-10(1.5)5L</p> <hr/> <p>Product #: 56000.0024<sup>1</sup></p>	 <p>CARTRIDGE, WQ-55(2)5L</p> <hr/> <p>Product #: 56000.0101<sup>1</sup></p>	 <p>CARTRIDGE, WEQ-10 (1.5)5L</p> <hr/> <p>Product #: 56000.0121<sup>1</sup></p>
---	---	---	--

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

# Serving & Holding Options: Sure Immersion® 220 120/208V Prtr Port(44400.0101)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

---

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025