

单头 TF DBC SST

35.7" x 19.2" x 12.1"
(90.7cm x 48.8cm x 30.7cm)



 咖啡桶需要单独购买

- 每小时能冲煮16.3到18.9加仑(61.7 to 71.5L) 完美咖啡
- 通过预浸泡, 脉冲煮, 数字控制, 大喷头等实现完美萃取咖啡; 咖啡浓度通过稀释水来实现。
- 简单的安装和机器设置校准。另外可通过电脑(需要Windows英文操作系统)和BrewWISE配方编写器来创建配方存储卡和专用咖啡斗
- 保养套件: 39641.0000
- **SplashGard® funnel** (带防溅功能的咖啡斗) 和可选的咖啡斗锁进一步提高安全性
- 机器可以存储各种咖啡配方, 通过不同的水量, 稀释水, 脉冲煮方式, 浸泡时间来实现(需用BrewWISE配方编写器)
- **ThermoFresh® servers** (有专利的保温桶) 通过真空保温咖啡几小时。
- 有 1/2, 1 or 1 1/2 加仑 (1.9, 3.8 or 5.7L) 选择键
- 在空闲时段, 节电模式可以降低水箱的水温
- 通过智能咖啡斗 (**SplashGard®** 带防溅功能) 和无线射频技术, 所有带有**BrewWISE** 技术的磨豆机和咖啡机, 都可以实现无差错的操作

证书:



规格书

订货号 #: 34800.0012

龙头位置: 低

水源: 水管

颜色: 不锈钢

咖啡斗: 不锈钢智能

其余功能

BrewWISE

电气 & 产能

电压	电流	功率	电线	插头	8oz 杯/小时 236ml 杯/小时	进水温度	相数	# 电线数 加接地线	频率
220-240	14.5-15.7	3180-3780	是	欧标 16A	171	60°F (15.5°C)	1	2	50-60

进水要求

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	-


CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
06/15/2017



机器			包装后					
	宽	高	深	Width	Height	Depth	重量	体积
英制	12.1 in.	35.7 in.	19.2 in.	-	-	-	60.150 lbs	8.131 ft ³
公制	30.7 cm	90.7 cm	48.8 cm	-	-	-	27.284 kgs	0.230 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.


Created on:
06/15/2017

相关产品 & 附件:Single TF DBC SST(34800.0012)



G9-2T DBC磨豆机

Product #: 33700.0000



BREWWISE 编写器

Product #: 34444.0000



配方存储卡

Product #: 34447.0000



广告词存储卡

Product #: 34448.0000



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
06/15/2017

咖啡桶: Single TF DBC SST(34800.0012)



TF SERVER, DSG2
1G/3.8L 带液晶显示

Product #:42700.0000



TF SERVER, DSG2
1G/3.8L BLK带液晶显示

Product #:42700.0001



TF SERVER, DSG2 1G
CD带液晶, 底座拆卸式

Product #:42700.0003



TF SERVER, DSG2 1G
BLK CD带液晶, 底座拆卸式

Product #:42700.0004



TF SERVER, DSG2 1.5G
SST带液晶

Product #:42750.0000



TF SERVER, DSG2 1.5G
BLK带液晶

Product #:42750.0001



TF SERVER, DSG2 1.5G
CD带液晶, 底座拆卸式

Product #:42750.0003



TF SERVER, DSG2 1.5G
BLK CD带液晶, 底座拆卸式

Product #:42750.0010



TF SERVER, 1G/3.8L
MECH U型管路显示

Product #:44000.0000



TF SERVER, 1G/3.8L
MECH BLK U型管路显示

Product #:44000.0001



TF SERVER, 1.5G/5.7L
MECH U型管路显示

Product #:44050.0000



TF SERVER, 1.5G/5.7L
MECH BLK U型管路显示

Product #:44050.0001



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
06/15/2017