

# ICB-DV Tall Platinum Edition, 120V

Height: 35.0" (88.9cm) Width: 10.2" (25.9cm) Depth: 22.1" (56.1cm)



- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- The Infusion Series® Platinum Edition relies on the powerful duo of the Peak Extraction Sprayhead and SmartWAVE® technology to further enhance the uniformity of extraction and resistance to limescale buildup.
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon) Thermofresh servers
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Electronic funnel lock prevents removal of the brew funnel until drip- through is complete
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Optional BUNNlink® remote monitoring support (kit required)

Server(s) sold separately

Agency:



## Specifications

**Product #:** 53300.0101

**Water Access:** Plumbed

**Interface:** Wireless

**Finish:** Stainless

## Additional Features

BrewWISE

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	82	60°F (15.5°C)	1	2	60
120/208	14	2900	-	N/A	136	60°F (15.5°C)	1	3	60
120/240	17	4050	-	N/A	181	60°F (15.5°C)	1	3	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

## CAD Drawings


2D	Revit	KLC
●		

**WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/03/2026



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	10.2 in.	22.1 in.	38.1 in.	14.3 in.	32.3 in.	60.656 lbs	10.139 ft³
Metric	88.9 cm	25.9 cm	56.1 cm	96.8 cm	36.2 cm	81.9 cm	27.514 kgs	0.287 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/03/2026

# Related Products & Accessories: ICB-DV Tall Platinum Edition, 120V(53300.0101)

 <p><b>FILTERS, GOURMET 500 500/1 50/CL</b></p> <p>Product #: 20138.1000</p>	 <p><b>WATER FILTER, EQHP-10L</b></p> <p>Product #: 39000.0001<sup>3</sup></p>	 <p><b>WATER FILTER, EQHP-10</b></p> <p>Product #: 39000.0004<sup>3</sup></p>	 <p><b>FUNNEL ASSY, SST INFUSION COFFEE</b></p> <p>Product #: 54675.0001</p>	 <p><b>FUNNEL ASSY, SST INFUSION COFFEE</b></p> <p>Product #: 54675.0008<sup>2</sup></p>
 <p><b>SYSTEM, WQ-55(2)5L</b></p> <p>Product #: 56000.0001<sup>1</sup></p>	 <p><b>SYSTEM, WQ-55(2)5</b></p> <p>Product #: 56000.0004<sup>1</sup></p>	 <p><b>SYSTEM, WEQ-10(1.5)5L</b></p> <p>Product #: 56000.0024<sup>1</sup></p>	 <p><b>SYSTEM, WEQ-10(1.5)5</b></p> <p>Product #: 56000.0027<sup>1</sup></p>	 <p><b>CARTRIDGE, WQ-55(2)5L</b></p> <p>Product #: 56000.0101<sup>1</sup></p>
 <p><b>CARTRIDGE, WQ-55(2)5</b></p> <p>Product #: 56000.0104<sup>1</sup></p>	 <p><b>CARTRIDGE, WEQ-10 (1.5)5L</b></p> <p>Product #: 56000.0121<sup>1</sup></p>	 <p><b>CARTRIDGE, WEQ-10 (1.5)5</b></p> <p>Product #: 56000.0122<sup>1</sup></p>	 <p><b>KIT, BUNNLINK WIFI TEA AND INFUSION</b></p> <p>Product #: 57132.0003</p>	 <p><b>KIT, LTE BUNNLINK BOARD TEA AND INFUSION</b></p> <p>Product #: 57133.0003</p>

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/03/2026

# Serving & Holding Options: ICB-DV Tall Platinum Edition, 120V(53300.0101)



AIRPOT, 3.8L SST LA  
SINGLE PK

Product #: 36725.0000<sup>6</sup>  
Mfr#:SVAP-3800F-N



AIRPOT, 3.8L SST LA 6/  
CASE

Product #: 36725.0100<sup>6</sup>  
Mfr#:SVAP-3800F-N



TF SERVER, DSG2 1G  
SST NOBASE

Product #: 42700.0050<sup>1</sup>



TF SERVER, DSG2 1G  
BLK NOBASE

Product #: 42700.0051<sup>1</sup>



TF SERVER, 1G DSG  
GEN3

Product #: 42700.0200<sup>1</sup>



TF SERVER, DSG2 1.5G  
SST NOBAS

Product #: 42750.0050<sup>1</sup>



TF SERVER, 1.5G DSG  
GEN3

Product #: 42750.0200<sup>1</sup>



TF SERVER, 1G/3.8L  
MECH NOBASE

Product #: 44000.0050<sup>1</sup>



TF SERVER, 1G/3.8L  
MECH BLK NOBASE

Product #: 44000.0051<sup>1</sup>



TF SERVER, 1G MECH  
GEN3

Product #: 44000.0200<sup>1</sup>



TF SERVER, 1.5G MECH  
GEN3

Product #: 44050.0200<sup>1</sup>

STAND ASSY, TF  
SERVER

Product #: 54473.0000



STAND ASSY KIT, TF  
SERVER

Product #: 54473.1000

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/03/2026