### H5X® Element SST

Height: 28.5" Width: 7.4" Depth: 18.9" (72.4cm) (18.8cm) (48.0cm)



- LED display provides simple temperature adjustment
- Thinsulate® tank insulation provides increased energy efficiency
- Programmable "Energy Saver Mode" reduces operating cost during idle periods
- The perfect tool for added control over quality coffee and tea
- Contemporary, space-saving design
- Digital thermostat provides constant and accurate temperatures of 60°- 212°F (15.6°-100°C)

Agency:





#### **Specifications**

Product #: 43600.0002 Temp. Setting: 212°F (100.000°C)

Water Access: Plumbed Dispense: Pull & Hold

Finish: Stainless Faucet: Upper

#### **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
208	19.5	4050	No	-	-	60°F (15.5°C)	1	2	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements

	1 fambling requirements							
PSI kPa		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	-				


## **CAD Drawings**


**Additional Features** 


2D	Revit	KLC
•		


MARNING:











Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	28.5 in.	7.4 in.	18.9 in.	32.9 in.	11.0 in.	20.7 in.	32.500 lbs	4.338 ft <sup>3</sup>
Metric	72.4 cm	18.8 cm	48.0 cm	83.7 cm	27.9 cm	52.5 cm	14.742 kgs	0.123 m³



## Related Products & Accessories: H5X® Element SST(43600.0002)



DRIP TRAY KIT (2.5"HT-HW2)

Product #: 02497.0000



DRIP TRAY

Product #: 02545.0000



COVER, DRIP TRAY-PERFORATED

Product #: 02546.0000



FOOT, RUBBER

Product #: 02547.0000



KIT, SHELF

Product #: 12599.0000



WALL BRKT KIT, FRONT MTG-H5

Product #: 13125.0003



WATER FILTER, EQHP-10L

Product #: 39000.00013



WATER FILTER, EQHP-10

Product #: 39000.00043



SYSTEM, WQ-55(2)5L

Product #: 56000.00011



SYSTEM, WQ-55(2)5

Product #: 56000.00041



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.00241



SYSTEM, WEQ-10(1.5)5

Product #: 56000.00271



CARTRIDGE, WQ-55(2)5L

Product #: 56000.01011



CARTRIDGE, WQ-55(2)5

Product #: 56000.01041



CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.01211

1NSF Certified 2NSF Certified with spec sheet model listed 3NSF Certified under Solventum Purification 4NSF Certified under Mavea LLC 5NSF Certified under Zojirushi 6NSF Certified under Qins Inc 7NSF COMPONENT Certified



# Related Products & Accessories: H5X® Element SST(43600.0002)





# Serving & Holding Options: H5X® Element SST(43600.0002)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

