


ICBB, 200V Japan

Height: 26.8" Width: 10.2" Depth: 22.1"
(68.1cm) (25.9cm) (56.1cm)



- Sleek modernized design language, with rounded angles on the corners and trunk
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Energy-saver mode reduces tank temperature during idle periods
- The exclusive Peak Extraction® Sprayhead provides improved uniformity of extraction and greater resistance to limescale buildup
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Hot water faucet (supplied for custom installation)
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:

Specifications

Product #: 53100.0504

Funnel: Black Plastic Smart Funnel

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
200	18	3600	-	-	141	60°F (15.5°C)	1	2	50/60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

 **WARNING:**


CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025
















Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	26.8 in.	10.2 in.	22.1 in.	34.9 in.	13.3 in.	27.4 in.	46.860 lbs	7.321 ft³
Metric	68.1 cm	25.9 cm	56.1 cm	88.6 cm	33.7 cm	69.5 cm	21.256 kgs	0.207 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025

Related Products & Accessories:ICBB, 200V Japan(53100.0504)





 <p>FILTERS, GOURMET 500 500/1 50/CL</p> <p>Product #: 20138.1000</p>	 <p>WATER FILTER, EQHP-10L</p> <p>Product #: 39000.0001³</p>	 <p>WATER FILTER, EQHP-10</p> <p>Product #: 39000.0004³</p>	 <p>STAND ASSY, TF SERVER</p> <p>Product #: 39795.0003</p>	 <p>FUNNEL ASSY, SMART COFFEE BLK-CLEARED</p> <p>Product #: 53463.0038²</p>
 <p>SYSTEM, WQ-55(2)5L</p> <p>Product #: 56000.0001¹</p>	 <p>SYSTEM, WQ-55(2)5</p> <p>Product #: 56000.0004¹</p>	 <p>SYSTEM, WEQ-10(1.5)5L</p> <p>Product #: 56000.0024¹</p>	 <p>SYSTEM, WEQ-10(1.5)5</p> <p>Product #: 56000.0027¹</p>	 <p>CARTRIDGE, WQ-55(2)5L</p> <p>Product #: 56000.0101¹</p>
 <p>CARTRIDGE, WQ-55(2)5</p> <p>Product #: 56000.0104¹</p>	 <p>CARTRIDGE, WEQ-10 (1.5)5L</p> <p>Product #: 56000.0121¹</p>	 <p>CARTRIDGE, WEQ-10 (1.5)5</p> <p>Product #: 56000.0122¹</p>		

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified

Serving & Holding Options: ICBB, 200V Japan(53100.0504)

				
AIRPOT, 2.5L SST LA SINGLE PK	AIRPOT, 2.5L SST LA 6/ CASE	AIRPOT, 3.0L SST LA SINGLE PK	AIRPOT, 3.0L SST LA 6/ CASE	AIRPOT, 3.8L SST LA SINGLE PK
Product #: 32125.0000 ⁶ Mfr#:SVAP-2500F-N	Product #: 32125.0100 ⁶ Mfr#:SVAP-2500F-N	Product #: 32130.0000 ⁶ Mfr#:SVAP-3000F-N	Product #: 32130.0100 ⁶ Mfr#:SVAP-3000F-N	Product #: 36725.0000 ⁶ Mfr#:SVAP-3800F-N

				
AIRPOT, 3.8L SST LA 6/ CASE	STAND ASSY, TF SERVER	TF SERVER, DSG2 1G SST NOBASE	TF SERVER, DSG2 1G BLK NOBASE	TF SERVER, DSG2 1.5G SST NOBAS
Product #: 36725.0100 ⁶ Mfr#:SVAP-3800F-N	Product #: 39795.0003	Product #: 42700.0050 ¹	Product #: 42700.0051 ¹	Product #: 42750.0050 ¹

				
TF SERVER, 1G/3.8L MECH NOBASE	TF SERVER, 1G/3.8L MECH BLK NOBASE	TF SERVER, 1.5G/5.7L MECH NOBASE	TF SERVER, 1.5G/5.7L MECH BLK NOBASE	STAND ASSY, TF SERVER
Product #: 44000.0050 ¹	Product #: 44000.0051 ¹	Product #: 44050.0050 ¹	Product #: 44050.0051 ¹	Product #: 54473.0000

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025

Serving & Holding Options: ICBB, 200V Japan(53100.0504)



STAND ASSY KIT, TF
SERVER

Product #: 54473.1000

