# C500 Cartridge

Height: 0.00" (0.0cm) Width: 0.00" (0.0cm) Depth: 0.00" (0.0cm)

- Sanitary quick connect head uses encapsulated cartridge design allowing for fast and easy change-outs with a 1/4 turn while minimizing the possibility of leakage and contamination
- Variable Bypass Head

**NOTE**: Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

**Agency:**

## Specifications

**Product #:** 47159.0000

**Cartridge Type:** Quick Change

**Application(s):**

**Replacement Cartridge:**

**Filtration Type:**

**Filter Change Frequency:** Annual

## Capacity

| Micron Rating | Service Flow Rate | Water Filter Capacity *Chlorine Reduction* | Water Filter Capacity *Chloramine Reduction* | Water Filter Capacity *Softening* |
|---|---|---|---|---|
| 0.0 | 0.6 gal/min (2.3 L/min) | - | - | 1796 gal. (6798.5 L) @10 GPG of hardness |

## Plumbing Requirements

| Inlet Connection | Outlet Connection | Min Operating Pressure | Max Operating Pressure | Min Operating Temperature | Max Operating Temperature |
|---|---|---|---|---|---|
| 1/2 IN 14 MNPT | 1/2 IN 14 MNPT | 29 psi (200 kPa) | 125 psi (862 kPa) | 39°F(4°C) | 86°F(30°C) |

⚠ **WARNING:**

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/15/2026

| Dimensions of Filter System *(filter head with filter cartridge)* | | | | Installed Dimensions *(Installation with wall mounting)* | | | Cartridge Dimensions *(filter cartridge only)* | | |
|---|---|---|---|---|---|---|---|---|---|
| | **Height** | **Width** | **Depth** | **Height** | **Width** | **Depth** | **Height** | **Width** | **Depth** |
| English | - | - | - | - | - | - | - | - | - |
| Metric | - | - | - | - | - | - | - | - | - |

| Weight | | | Shipping | | | | |
|---|---|---|---|---|---|---|---|
| | **Dry** | **Wet** | **Height** | **Width** | **Depth** | **Weight** | **Volume** |
| English | 0.0 lbs | 0.0 lbs | - | - | - | 10.100 lbs | - |
| Metric | - | - | - | - | - | 4.581 kgs | - |

**WARRANTY:** BUNN High Performance Water Filtration Solutions Systems by BUNN® (excluding water filters and water treatment replacement cartridges) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase, under normal use and service, and when installed in accordance with manufacturer's recommendations outlined in the filtration systems owner's manual. BUNN replaceable elements (water treatment cartridges, filter elements, and feeder elements) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase or the remainder of the original warranty, whichever is longer. See printed warranty for full details. BUNN will provide a copy of the warranty upon request.

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

For most current specifications and other info visit bunn.com.

Last Updated: 10/15/2026

# Related Products & Accessories: C500 Cartridge(47159.0000)

WATER FILTER HEAD, C300 & C500 PURCHASED

Product #: 45961.0001[2]

KIT, C500 ESPRESSO WATER COND ASSY

Product #: 47152.0000

Mfr#:Purity C500 Quell ST Advanced

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/15/2026

# Model Compatibility: C500 Cartridge(47159.0000)

*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.*

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/15/2026

WELBILT
an Ali Group Company