

# ITCB TWIN HV

Height: 35.0" Width: 20.5" Depth: 23.8"  
(88.9cm) (52.1cm) (60.5cm)



- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- Large 5.6 gallon (21.2L) tank provides back-to-back brewing capacity
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Includes overlay kit for customization of brewer interface
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brews coffee or tea on both sides - Mix and Match to meet your needs
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Hot water faucet (supplied for custom installation)

Agency:

Server(s) sold separately



## Specifications

**Product #:** 52400.0000

**Water Access:** Plumbed

**Finish:** Stainless

**Faucet:** Variable

## Additional Features

Funnel Locks

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	672	60°F (15.5°C)	1	3	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" BSPP	1.25

## CAD Drawings


2D	Revit	KLC
●		

**WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	20.5 in.	23.8 in.	35.0 in.	20.5 in.	26.4 in.	95.360 lbs	10.962 ft³
Metric	88.9 cm	52.1 cm	60.5 cm	88.9 cm	52.1 cm	67.1 cm	43.255 kgs	0.310 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

## Related Products & Accessories:ITCB TWIN HV(52400.0000)



FILTERS, GOURMET 500  
500/1 50/CL

Product #: 20138.1000



FUNNEL ASSY, SMART  
COFFEE BLK-CLEARED

Product #: 53463.0021

FUNNEL ASSY, TEA  
NATURAL QUICK BREW

Product #: 53463.0023

FUNNEL ASSY, TEA  
NATURAL QUICK BREW

Product #: 53463.0036




<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

# Serving & Holding Options: ITCB TWIN HV(52400.0000)

 <p>TD4, SIGHT GAUGE SWT/UNSWT HDL</p> <p>Product #: 03250.0003<sup>1</sup></p>	 <p>TD4T, SIGHT GAUGE NUDGER HDL</p> <p>Product #: 03250.0004<sup>1</sup></p>	 <p>TD4T, BREW THRU LID NUDGER HDL</p> <p>Product #: 03250.0005<sup>1</sup></p>	 <p>TD4, BREW THRU LID SWT/UNSWT HDL</p> <p>Product #: 03250.0006<sup>1</sup></p>	 <p>TD4T, BREW THRU LID NO DECAL NUDGER HDL</p> <p>Product #: 03250.0018<sup>1</sup></p>
 <p>AIRPOT, 2.5L SST LA SINGLE PK</p> <p>Product #: 32125.0000<sup>6</sup> Mfr#:SVAP-2500F-N</p>	 <p>AIRPOT, 3.0L SST LA SINGLE PK</p> <p>Product #: 32130.0000<sup>6</sup> Mfr#:SVAP-3000F-N</p>	 <p>TDS-3, 3 GAL</p> <p>Product #: 33000.0000<sup>1</sup></p>	 <p>TDS-3.5, 3.5 GAL</p> <p>Product #: 33000.0023<sup>1</sup></p>	 <p>TDO-4, RESERVOIR</p> <p>Product #: 34100.0000<sup>1</sup></p>
 <p>TDO-5, RESERVOIR</p> <p>Product #: 34100.0001<sup>1</sup></p>	 <p>TDO-4, RESERVOIR BREW THRU</p> <p>Product #: 34100.0002<sup>1</sup></p>	 <p>TDO-5, RESERVOIR, BREW THRU</p> <p>Product #: 34100.0003<sup>1</sup></p>	 <p>TDO-N-3.5, RSVR</p> <p>Product #: 39600.0001<sup>1</sup></p>	 <p>TDO-N-3.5, RSVR W/ LIFT HANDLE</p> <p>Product #: 39600.0031<sup>1</sup></p>

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

# Serving & Holding Options: ITCB TWIN HV(52400.0000)



TDO-N-3.5, RSVR W/  
PINCH TUBE

Product #: 39600.0047<sup>1</sup>



TF SERVER, 1G DSG  
GEN3

Product #: 42700.0200<sup>1</sup>



TF SERVER, 1.5G DSG  
GEN3

Product #: 42750.0200<sup>1</sup>



TD3T-N, RSVR BREW  
THRU LID BUNN

Product #: 43900.0001<sup>1</sup>



TD3T-N, RSVR SOLID  
LID BUNN

Product #: 43900.0002<sup>1</sup>



TF SERVER, 1G MECH  
GEN3

Product #: 44000.0200<sup>1</sup>



TF SERVER, 1.5G MECH  
GEN3

Product #: 44050.0200<sup>1</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025