


Titan Dual DBC 120/240V Brewer

Height: 40.0" Width: 35.6" Depth: 21.7"
(101.6cm) (90.4cm) (55.1cm)



- Brews up to 34.3 gallons (82.2 liters) of coffee per hour, while ensuring "quality in the cup" for each and every cup
- BrewMETER® allows automatic programming of pulse routine
- Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; coffee strength controlled with variable by-pass
- Funnel has 28oz (.8kg) ground coffee capacity and paper filter retainers to eliminate fold-over
- Titan TF server [not included] is insulated to keep coffee hot for hours
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



Specifications

Product #: 39200.0001

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Faucet: Lower

Additional Features

Funnel Locks

Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ² O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|---------------|-----------|------------------------------|---------------------------------|-------|------------------------|-------|
| 120/240 | 28.9 | 12000 | No | - | 549 | 60°F (15.5°C) | 3 | 4 | 60 |

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 3/8" Male Flare Fitting | - |


CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
| ● | | |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
08/28/2020



| | Unit | | | Shipping | | | | |
|---------|----------|----------|----------|----------|----------|----------|-------------|------------|
| | Height | Width | Depth | Height | Width | Depth | Weight | Volume |
| English | 40.0 in. | 35.6 in. | 21.7 in. | 43.8 in. | 26.5 in. | 40.5 in. | 148.000 lbs | 27.173 ft³ |
| Metric | 101.6 cm | 90.4 cm | 55.1 cm | 111.1 cm | 67.3 cm | 102.9 cm | 67.133 kgs | 0.769 m³ |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
08/28/2020

Related Products & Accessories: Titan Dual DBC 120/240V Brewer(39200.0001)



FILTERS, 20x8 252/CS
36/CL

Product #: 20111.0000



FUNNEL ASSY W/
BASKET, TITAN

Product #: 40114.0000



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
08/28/2020

Serving & Holding Options: Titan Dual DBC 120/240V Brewer(39200.0001)



TITAN TF SERVER,
VERTICAL FCT

Product #:39400.0001



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
08/28/2020