

NITRON® Gas Module w-Relay, 120V

Height: 4.7" Width: 8.3" Depth: 14.6"
(11.9cm) (21.1cm) (37.1cm)



- Compact, space-saving design produces its own unlimited supply of gas for the Nitron dispenser, eliminating the need for high-pressure tanks and nitrogen generators
- The Gas Module features integrated multi-stage FDA-compliant filters to remove impurities and moisture from the air
- Compatible with all Nitron Cold Draft dispensers, the modular unit can be installed under or next to the machine or beneath the counter in a cabinet. Its modular design works with both new and existing Nitron dispensers already in service
- Plugs into a 120V outlet for easy set-up and includes 8-feet of gas line with ¼" female flare fitting (washer included) for quick connection to the Nitron dispenser
- System design allows for quick access to internal components for ease of service, with just a few hand tools.
- PM frequency to replace the internal air filters requires Annual schedule with 1 Nitron dispenser and every 6 months when connected to 2 Nitron dispensers.
- Supports up to two Nitron dispensers

Agency:



Specifications

Product #: 55660.0005

Finish: Black

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	1.15	-	Yes	NEMA 5-15P	-	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
-	-	-	-

CAD Drawings


2D	Revit	KLC
●	●	

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/26/2022



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	4.7 in.	8.3 in.	14.6 in.	10.1 in.	12.9 in.	18.4 in.	14.920 lbs	1.389 ft ³
Metric	11.9 cm	21.1 cm	37.1 cm	25.6 cm	32.9 cm	46.8 cm	6.768 kgs	0.039 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/26/2022

Related Products & Accessories: NITRON® Gas Module w-Relay, 120V(55660.0005)

Related Products selections are currently unavailable. Please contact your sales representative to find out more information.



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/26/2022

Serving & Holding Options: NITRON® Gas Module w-Relay, 120V(55660.0005)



NITRON, 120V NITRON-2
W/RGD & NGM

Product #:51600.0028



NITRON, 120V NITRON-2
SCH/ASTRA RGD NGM

Product #:51600.0029



NITRON, 120V NITRON-2
DN W/RGD & NGM

Product #:51600.0030



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/26/2022