

# Single® GPR DBC® DV w/1.5 Gal Server

Height: 29.4" Width: 9.4" Depth: 25.5"  
(74.7cm) (23.9cm) (64.8cm)



- Stores individual coffee recipes so operator can easily brew many varieties
- Coffee extraction controlled with pre-infusion and pulse-brew, digital temperature control and large sprayhead; coffee strength controlled with variable by-pass
- Operate any combination of BrewWISE equipment error-free with wireless brewer-grinder interface through the Smart Funnel
- Programmable freshness indication; message on display alerts when freshness timer expires and when warmers will automatically shut off
- Programmable warmer control; ability to program three time periods with distinct warmer output for each; default settings when this feature is activated is 1 hour at 100% power (100 watts) followed by 1 hour at 70% followed by 1 hour at 40%
- Energy Saver Mode reduces tank temperature during idle periods
- Each 1.5GPR portable server (included) has a Safety-Fresh® brew-through lid with vapor seal and spill protection
- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches
- You can use the BrewWISE Recipe Writer (not included) to create coffee recipe cards from the convenience of your PC
- SplashGard® funnel deflects hot liquids away from the hand
- Energy saver mode reduces tank temperature during idle periods
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- PROP 65 Warning Decal included in packaging with equipment

Agency:



## Specifications

**Product #:** 36100.0010

**Water Access:** Plumbed

**Interface:** Wireless

**Finish:** Stainless

**Funnel:** Smart Funnel

**Faucet:** Upper

## Additional Features

BrewWISE

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120	15	1800	Yes	NEMA 5-15P	85	60°F (15.5°C)	1	2	60
120/208	17	3430	-	N/A	160	60°F (15.5°C)	1	-	-
120/240	20	4540	-	N/A	213	60°F (15.5°C)	1	-	-

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	-

## CAD Drawings


2D	Revit	KLC
●		

**WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025




	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	29.4 in.	9.4 in.	25.5 in.	34.1 in.	12.6 in.	29.9 in.	60.020 lbs	7.449 ft <sup>3</sup>
Metric	74.7 cm	23.9 cm	64.8 cm	86.7 cm	32.1 cm	75.9 cm	27.225 kgs	0.211 m <sup>3</sup>












BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

# Related Products & Accessories: Single® GPR DBC® DV w/1.5 Gal Server(36100.0010)

 <p>RWS1, 120V</p> <hr/> <p>Product #: 12203.0010<sup>1</sup></p>	 <p>FILTERS, GOURMET 500 500/1 50/CL</p> <hr/> <p>Product #: 20138.1000</p>	 <p>DRIP TRAY KIT, DUAL &amp; SH</p> <hr/> <p>Product #: 27150.0000</p>	 <p>1SH STAND, 120V</p> <hr/> <p>Product #: 27825.0000<sup>7</sup></p>	 <p>1SH STAND, 120V BLK</p> <hr/> <p>Product #: 27825.0003<sup>7</sup></p>
--	--	--	---	---

 <p>FUNNEL ASSY, W/ INSERTS SMTF</p> <hr/> <p>Product #: 32643.0000<sup>2</sup></p>	 <p>G9-2T DBC</p> <hr/> <p>Product #: 33700.0000</p>	<p>CARD ASSY, RECIPE TRANSFER (BRW)</p> <hr/> <p>Product #: 34447.0016</p>	 <p>SYSTEM, WQ-55(3).2L</p> <hr/> <p>Product #: 56000.0002<sup>1</sup></p>	 <p>SYSTEM, WQ-55(3).2</p> <hr/> <p>Product #: 56000.0005<sup>1</sup></p>
--	---	--	---	--

 <p>SYSTEM, WEQ-25(2).2</p> <hr/> <p>Product #: 56000.0028<sup>1</sup></p>	 <p>SYSTEM, WEQ-35(3).2L</p> <hr/> <p>Product #: 56000.0034</p>	 <p>CARTRIDGE, WQ-55 (3).2L</p> <hr/> <p>Product #: 56000.0102<sup>1</sup></p>	 <p>CARTRIDGE, WQ-55(3).2</p> <hr/> <p>Product #: 56000.0105<sup>1</sup></p>	 <p>CARTRIDGE, WEQ-25 (2).2</p> <hr/> <p>Product #: 56000.0124<sup>1</sup></p>
---	--	---	---	---

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

## Related Products & Accessories: Single® GPR DBC® DV w/1.5 Gal Server(36100.0010)



CARTRIDGE, WEQ-35  
(3).2L

Product #: 56000.01261



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

# Serving & Holding Options: Single® GPR DBC® DV w/1.5 Gal Server(36100.0010)



RWS1, 120V

Product #: 12203.0010<sup>1</sup>



1.5GPR-FF, TOP HNDL

Product #: 20950.0004<sup>1</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025