

ICBA PE, CE 220-240V ME

Height: 26.8" (68.1cm) Width: 10.2" (25.9cm) Depth: 22.1" (56.1cm)



- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- The Infusion Series® Platinum Edition relies on the powerful duo of the Peak Extraction Sprayhead and SmartWAVE® technology to further enhance the uniformity of extraction and resistance to limescale buildup.
- USB programming for uploading and downloading recipes and software updates, all in less than a minute
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon) baseless Thermofresh servers
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Electronic funnel lock prevents removal of the brew funnel until drip- through is complete
- Brew counter keeps track of how many batches are brewed

Server(s) sold separately

Agency:

KUCAS ECAS

Specifications

Product #: 53300.0502

Funnel: Black Plastic

Water Access: Plumbed

Interface: Wireless

Finish: Stainless/Grey

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
220-240	11.0-12.0	2400-2900	Yes	UK 13A	141	60°F (15.5°C)	1	2	50-60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

CAD Drawings


2D	Revit	KLC

WARNING:



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/05/2026



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	26.8 in.	10.2 in.	22.1 in.	35.8 in.	16.6 in.	28.0 in.	53.710 lbs	7.321 ft ³
Metric	68.1 cm	25.9 cm	56.1 cm	90.9 cm	42.2 cm	71.1 cm	24.363 kgs	0.207 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/05/2026

Related Products & Accessories: ICBA PE, CE 220-240V ME(53300.0502)



FILTERS, GOURMET 500
500/1 50/CL

Product #: 20138.1000



STAND ASSY, TF
SERVER

Product #: 39795.0003



BUNNlink

KIT, BUNNLINK WIFI TEA
AND INFUSION

Product #: 57132.0003



BUNNlink

KIT, LTE BUNNLINK
BOARD TEA AND
INFUSION

Product #: 57133.0003

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/05/2026

Serving & Holding Options: ICBA PE, CE 220-240V ME(53300.0502)



AIRPOT, 2.5L SST LA
SINGLE PK

Product #: 32125.0000⁶
Mfr#:SVAP-2500F-N



AIRPOT, 2.5L SST LA 6/
CASE

Product #: 32125.0100⁶
Mfr#:SVAP-2500F-N



AIRPOT, 3.0L SST LA 6/
CASE

Product #: 32130.0100⁶
Mfr#:SVAP-3000F-N



AIRPOT, 3.8L SST LA
SINGLE PK

Product #: 36725.0000⁶
Mfr#:SVAP-3800F-N



AIRPOT, 3.8L SST LA 6/
CASE

Product #: 36725.0100⁶
Mfr#:SVAP-3800F-N



STAND ASSY, TF
SERVER

Product #: 39795.0003



TF SERVER, DSG2 1G
SST NOBASE

Product #: 42700.0050¹



TF SERVER, DSG2 1G
BLK NOBASE

Product #: 42700.0051¹



TF SERVER, DSG2 1.5G
SST NOBAS

Product #: 42750.0050¹



TF SERVER, 1G/3.8L
MECH NOBASE

Product #: 44000.0050¹



TF SERVER, 1G/3.8L
MECH BLK NOBASE

Product #: 44000.0051¹



TF SERVER, 1.5G/5.7L
MECH NOBASE

Product #: 44050.0050¹



TF SERVER, 1.5G/5.7L
MECH BLK NOBASE

Product #: 44050.0051¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/05/2026