

WAVE15-S-APS, PF

Height: 17.4" Width: 9.7" Depth: 17.9"
(44.2cm) (24.6cm) (45.5cm)



- BrewMETER® allows automatic programming of pulse routine
- Adjustable legs to accommodate up to 3.0L lever action and 2.5L push button BUNN airpots and thermal servers
- Analog switches accompanied by red/green LED for programming
- Brew into 1.9L thermal carafe using the slide-out booster tray
- Choice of three pulse brew routines to adjust your flavor profile
- Red/green LED provide brewer status (ready, heating, brewing)
- SmartWAVE technology increases turbulence in the brew funnel
- Silver Version
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- SplashGard® funnel deflects hot liquids away from the hand
- Servers not included unless otherwise noted

Server(s) sold separately

Agency:



Specifications

Product #: 39900.0006

Faucet: Lower

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Additional Features

BrewMETER

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	11.3	1350	Yes	NEMA 5-15P	62	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

CAD Drawings



2D	Revit	KLC
●		

WARNING:



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/16/2026



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	17.4 in.	9.7 in.	17.9 in.	19.5 in.	12.4 in.	19.5 in.	24.250 lbs	2.723 ft ³
Metric	44.2 cm	24.6 cm	45.5 cm	49.5 cm	31.4 cm	49.5 cm	11.000 kgs	0.077 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/16/2026

Related Products & Accessories: WAVE15-S-APS, PF(39900.0006)



FUNNEL W/DECAL,PPK
NAR BLK(SM)

Product #: 02774.0011²



FUNNEL W/DECAL,PPK
NAR BLK(LG)

Product #: 04274.0012²



FILTERS,REGULAR1M
500/2 50/CL

Product #: 20115.0000



FUNNEL ASSY, SST-BLK
HDL(7.12)

Product #: 20216.0000²



FUNNEL W/DECALS,
BLACK PLASTIC

Product #: 20583.0003²



FUNNEL ASSY, SST-PP
BLK HDL

Product #: 29151.0000²



FUNNEL ASSY,SST-PP
ORANGE HDL

Product #: 29151.0001²



WATER FILTER
SYSTEM,EQ-17-TL

Product #: 30200.1000³



WATER FILTER,IN LINE
ED-17-TL

Product #: 30201.1001³



FUNNEL AY,W/DECAL
GRT "C"7.12

Product #: 34559.0000²



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024¹



CARTRIDGE, WEQ-10
(1.5)5L

Product #: 56000.0121¹



CARTRIDGE, WEQ-10.3
(1.67)5L

Product #: 56000.0137¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/16/2026

Serving & Holding Options: WAVE15-S-APS, PF(39900.0006)



TSR-1,THERMAL SRVR
RACK-1 POSN

Product #: 18008.6001



AIRPOT, 2.5L SST LA
SINGLE PK

Product #: 32125.0000⁶
Mfr#:SVAP-2500F-N



AIRPOT, 2.5L SST LA 6/
CASE

Product #: 32125.0100⁶
Mfr#:SVAP-2500F-N



AIRPOT, 3.0L SST LA
SINGLE PK

Product #: 32130.0000⁶
Mfr#:SVAP-3000F-N



AIRPOT, 3.0L SST LA 6/
CASE

Product #: 32130.0100⁶
Mfr#:SVAP-3000F-N



THERMAL CARAFE, BLK
1.83 L 1PK

Product #: 36029.0001⁵
Mfr#:SH-DE19A



THERMAL CARAFE,ORN
1.9L 12PK

Product #: 36252.0000⁵
Mfr#:SH-DE19A



THERMAL CARAFE,ORN
1.9L 1PK

Product #: 36252.0001⁵
Mfr#:SH-DE19A



PITCHER,SST 1.9L TALL-
SNGL PK

Product #: 39430.0000⁶
Mfr#:SVP-1901DSG



PITCHER,SST 1.9L
TALL-6/CASE

Product #: 39430.0100⁶
Mfr#:SVP-1901DSG



CARAFE,SST 1.9L SHRT
BLK 1

Product #: 40163.0000⁶

NO IMAGE
AVAILABLE

THERMAL SRVR, 2.5L 6/
CS NO BASE GL LINR

Product #: 45882.0001¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
01/16/2026