


# TB6Q, 29" Trunk

Height: 34.2" (86.9cm) Width: 21.1" (53.6cm) Depth: 23.2" (58.9cm)



- Color coded decals help the operator properly align the brew basket, dispenser and choose the correct selection
- Includes rotating brew basket, base platform adapter, dedicated dilution nozzles and brew selection switch
- Specifically designed to accommodate and brew into two BUNN 3.5gal Narrow Tea Dispensers (can also brew directly into standard tea dispensers)
- SplashGard® funnel deflects hot liquids away from the hand

 Server(s) sold separately

Agency:



## Specifications

**Product #:** 36700.0301

**Water Access:** Plumbed

**Finish:** Stainless

**Funnel:** Translucent Tea Funnel

## Additional Features

Quickbrew Funnel Tip

Quick Brew

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120	14.4	1730	Yes	NEMA 5-15P	336	60°F (15.5°C)	1	2	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

## CAD Drawings


2D	Revit	KLC
●		

 **WARNING:**



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
02/17/2025



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	34.2 in.	21.1 in.	23.2 in.	38.0 in.	13.3 in.	27.4 in.	42.150 lbs	7.976 ft <sup>3</sup>
Metric	86.9 cm	53.6 cm	58.9 cm	96.5 cm	33.7 cm	69.5 cm	19.119 kgs	0.226 m <sup>3</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
02/17/2025

# Related Products & Accessories:TB6Q, 29" Trunk(36700.0301)



FUNNEL ASSY, TEA  
(TU3/T3)

Product #: 03021.0004



FUNNEL AY, QUICK  
BREW(TW)

Product #: 03021.0005



FUNNEL ASSY,BLK-  
CENTER OUTLET

Product #: 03021.0008



FUNNEL ASSY, TEA  
TB6Q

Product #: 03021.0014



FILTERS TEA/SYS2  
500PK/1 50/CL

Product #: 20100.0000



FUNNEL W/DECALS,  
WIDE-SMOKE

Product #: 29351.0000



POUCHPACK FUNL  
ASSY,TEA Q-T

Product #: 35282.0001



POUCHPACK FUNL AY,  
TEA S-T

Product #: 35282.0002



DRIP TRAY KIT, ITB W/2  
TDO-N-3.5

Product #: 38029.1002



SYSTEM, WQ-SFTN4000  
(1.5)10 TEA

Product #: 56000.0021



SYSTEM, WEQ-  
SFTN3500(1)10 TEA

Product #: 56000.0030



CARTRIDGE, WEQ-  
SFTN3500(1)10 TEA

Product #: 56000.0129



CARTRIDGE, WQ-  
SFTN4000(1.5)10 TEA

Product #: 56000.0133



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
02/17/2025

# Serving & Holding Options: TB6Q, 29" Trunk(36700.0301)



TDO-N-3.5, RSVR

Product #:39600.0001



TDO-N-3.5, RSVR W/  
LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/  
PINCH TUBE

Product #:39600.0047



TD3T-N, RSVR BREW  
THRU LID BUNN

Product #:43900.0001



TD3T-N, RSVR SOLID  
LID BUNN

Product #:43900.0002



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
02/17/2025