ICB TWIN SH PE, 200V SST W/WRLESS

Height: 32.8" (83.3cm) Width: 21.9" (55.6cm) Depth: 23.0" (58.4cm)

Server(s) sold separately

- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- ENERGY STAR® certified
- ICB Twin SH 53600.0100 is compatible with new Infusion SH servers and the new TF 1.5-gallon ThermoFresh® Servers
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Wireless Server monitoring
- Fast flow hot water faucet
- Stainless steel brew baskets provide durability and ease of cleaning
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete

Agency:

Specifications

Product #: 53600.0500

Water Access: Plumbed

Interface: Wireless

Finish: Stainless/Grey

Funnel: Stainless Steel

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
200	27.7	5560	-	-	259	60°F (15.5°C)	1	2	50/60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

CAD Drawings

2D	Revit	KLC

WARNING:

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

For most current specifications and other info visit bunn.com.

Last Updated: 08/31/2026



Unit				Shipping				
	Height	**Width**	**Depth**	**Height**	**Width**	**Depth**	**Weight**	**Volume**
English	32.8 in.	21.9 in.	23.0 in.	37.5 in.	26.1 in.	28.4 in.	104.350 lbs	16.087 ft³
Metric	83.3 cm	55.6 cm	58.4 cm	95.3 cm	66.4 cm	72.1 cm	47.333 kgs	0.456 m³

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 08/31/2026

Related Products & Accessories: ICB TWIN SH PE, 200V SST W/WRLESS(53600.0500)

FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000

1SH STAND, 120V INF SERIES

Product #: 27825.0200[7]

2SH STAND, 120V INF SERIES

Product #: 27875.0200[7]

KIT, DRIP TRAY INF TWIN SH

Product #: 53452.0000

KIT, DRIP TRAY SINGLE SH

Product #: 53452.0001

KIT, BUNNLINK WIFI TEA AND INFUSION

Product #: 57132.0003

KIT, LTE BUNNLINK BOARD TEA AND INFUSION

Product #: 57133.0003

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 08/31/2026

Serving & Holding Options: ICB TWIN SH PE, 200V SST W/WRLESS(53600.0500)

SH SERVER, 1.5G/5.7L
INF SERIES

Product #: 27850.0200[1]

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 08/31/2026

an Ali Group Company

the spirit of excellence