

Height: 9.3" Width: 20.2" Depth: 11.8"
(23.6cm) (51.3cm) (30.0cm)

- Remote two server docking station for additional satellite coffee serving
- Docking station provides instant power contact to servers
- Soft Heat® stand supplies power to servers, to provide controlled heat for ideal maintenance of flavor and temperature
- Compatible with round BUNN Infusion Series Soft Heat servers
- Durable all stainless steel construction
- Contemporary styling
- PROP 65 Warning Decal included in packaging with equipment



Agency:



Specifications

Product #: 27875.6200

Finish: Stainless

Legs: 4" Stainless Steel Legs

Additional Features

Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ² O Temp. | Phase | # Wires plus Ground | Hertz |
|--------|------|-------|---------------|-----------|------------------------------|------------------------------|-------|---------------------|-------|
| - | - | - | - | - | - | 60°F (15.5°C) | - | - | - |

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|-----|-----|------------------|---------------------------|
| - | - | - | - |

WARNING:




CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
| ● | | |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025



| Unit | | | | Shipping | | | | |
|---------|---------|----------|----------|----------|-------|-------|--------|--------|
| | Height | Width | Depth | Height | Width | Depth | Weight | Volume |
| English | 9.3 in. | 20.2 in. | 11.8 in. | - | - | - | - | - |
| Metric | 23.6 cm | 51.3 cm | 30.0 cm | - | - | - | - | - |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025

Related Products & Accessories:(27875.6200)

| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| SH SERVER, 1.5G/5.7L INF SERIES | ICB TWIN SH, 120/240V SST | ICB TWIN SH, 120/240V BLK/SST | KIT, DRIP TRAY INF TWIN SH | KIT, DRIP TRAY SINGLE SH |
| Product #: 27850.0200 ¹ | Product #: 51200.0100 ¹ | Product #: 51200.0101 ¹ | Product #: 53452.0000 | Product #: 53452.0001 |

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: (27875.6200)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025