

# ITCB-DV Infusion Series PE, 29" W/TRAY

Height: 35.0" Width: 11.6" Depth: 22.5"  
(88.9cm) (29.5cm) (57.2cm)



- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology creates an industry best uniformity of extraction for exceptionally smooth tasting coffee
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17- hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Includes integrated flip tray that converts to three positions: thermal carafe, airpot and tea dispenser

Agency:

Server(s) sold separately



## Specifications

**Product #:** 52500.6100

**Water Access:** Plumbed

**Interface:** Wireless

**Finish:** Stainless

**Funnel:** Stainless Steel

**Funnel:** Translucent Tea Funnel

## Additional Features

BrewWISE

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	-	-	334	60°F (15.5°C)	1	2	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	1.25

**WARNING:**


## CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/13/2026



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	11.6 in.	22.5 in.	38.0 in.	13.3 in.	27.4 in.	41.610 lbs	7.976 ft <sup>3</sup>
Metric	88.9 cm	29.5 cm	57.2 cm	96.5 cm	33.7 cm	69.5 cm	18.874 kgs	0.226 m <sup>3</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/13/2026

## Related Products & Accessories:ITCB-DV Infusion Series PE, 29" W/TRAY(52500.6100)



STAND ASSY KIT, TF  
SERVER

Product #: 54473.1000

FUNNEL ASSY, SST  
INFUSION COFFEE ENG/  
FR

Product #: 54675.7001<sup>2</sup>



BUNNlink

KIT, BUNNLINK WIFI TEA  
AND INFUSION

Product #: 57132.0003



BUNNlink

KIT, LTE BUNNLINK  
BOARD TEA AND  
INFUSION

Product #: 57133.0003











<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Vivreau Ltd <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/13/2026

# Serving & Holding Options: ITCB-DV Infusion Series PE, 29" W/TRAY(52500.6100)

 <p>TD4T, SIGHT GAUGE NUDGER HDL</p> <p>Product #: 03250.0004<sup>1</sup></p>	 <p>TD4T, BREW THRU LID NUDGER HDL</p> <p>Product #: 03250.0005<sup>1</sup></p>	 <p>TD4T, BREW THRU LID NO DECAL NUDGER HDL</p> <p>Product #: 03250.0018<sup>1</sup></p>	 <p>AIRPOT, 2.5L SST LA SINGLE PK</p> <p>Product #: 32125.0000<sup>6</sup> Mfr#:SVAP-2500F-N</p>	 <p>AIRPOT, 2.5L SST LA 6/ CASE</p> <p>Product #: 32125.0100<sup>6</sup> Mfr#:SVAP-2500F-N</p>
 <p>AIRPOT, 3.0L SST LA SINGLE PK</p> <p>Product #: 32130.0000<sup>6</sup> Mfr#:SVAP-3000F-N</p>	 <p>AIRPOT, 3.0L SST LA 6/ CASE</p> <p>Product #: 32130.0100<sup>6</sup> Mfr#:SVAP-3000F-N</p>	 <p>TDS-3, 3 GAL</p> <p>Product #: 33000.0000<sup>1</sup></p>	 <p>TDS-3.5, 3.5 GAL</p> <p>Product #: 33000.0023<sup>1</sup></p>	 <p>TDO-4, RESERVOIR</p> <p>Product #: 34100.0000<sup>1</sup></p>
 <p>TDO-5, RESERVOIR</p> <p>Product #: 34100.0001<sup>1</sup></p>	 <p>TDO-4, RESERVOIR BREW THRU</p> <p>Product #: 34100.0002<sup>1</sup></p>	 <p>TDO-5, RESERVOIR, BREW THRU</p> <p>Product #: 34100.0003<sup>1</sup></p>	 <p>THERMAL CARAFE, ORN 1.9L 12PK</p> <p>Product #: 36252.0000<sup>5</sup> Mfr#:SH-DE19A</p>	 <p>THERMAL CARAFE, ORN 1.9L 1PK</p> <p>Product #: 36252.0001<sup>5</sup> Mfr#:SH-DE19A</p>

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Vivreau Ltd <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/13/2026

# Serving & Holding Options: ITCB-DV Infusion Series PE, 29" W/TRAY(52500.6100)



AIRPOT, 3.8L SST LA  
SINGLE PK

Product #: 36725.0000<sup>6</sup>

Mfr#:SVAP-3800F-N



AIRPOT, 3.8L SST LA 6/  
CASE

Product #: 36725.0100<sup>6</sup>

Mfr#:SVAP-3800F-N



TDO-N-3.5, RSVR

Product #: 39600.0001<sup>1</sup>



TDO-N-4.0, RSVR BUNN

Product #: 39600.0002<sup>1</sup>



TDO-N-3.5, RSVR W/  
LIFT HANDLE

Product #: 39600.0031<sup>1</sup>



TDO-N-3.5, RSVR W/  
PINCH TUBE

Product #: 39600.0047<sup>1</sup>



TF SERVER, 1G DSG  
GEN3 NOBASE

Product #: 42700.6250<sup>1</sup>



TD3T-N, RSVR BREW  
THRU LID BUNN

Product #: 43900.0001<sup>1</sup>



TD3T-N, RSVR SOLID  
LID BUNN

Product #: 43900.0002<sup>1</sup>



TF SERVER, 1G MECH  
GEN3 NOBASE

Product #: 44000.6250<sup>1</sup>



TF SERVER, 1.5G MECH  
GEN3

Product #: 44050.6200<sup>1</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
03/13/2026