ITCB-DV HV PE

Height: 35.0" (88.9cm) Width: 10.0" (25.4cm) Depth: 24.3" (61.7cm)

Server(s) sold separately

- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Brews into 1.5 gallon and 1.0 gallon BUNN ThermoFresh® servers for coffee and TD4T, TDO and TDO-N tea dispensers
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Energy-saver mode reduces tank temperature during idle periods
- Large 3gal (11.4L) tank provides back-to-back brewing capacity

Agency:

c UL us LISTED NSF

Specifications

Product #: 54000.6100

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Funnel: Stainless Steel

Funnel: Translucent Tea Funnel

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	-	-	336	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.25

WARNING:

CAD Drawings

2D	Revit	KLC
●		

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026



	Unit			Shipping				
	Height	**Width**	**Depth**	**Height**	**Width**	**Depth**	**Weight**	**Volume**
English	35.0 in.	10.0 in.	24.3 in.	38.1 in.	14.3 in.	32.3 in.	78.400 lbs	10.139 ft³
Metric	88.9 cm	25.4 cm	61.7 cm	96.8 cm	36.2 cm	81.9 cm	35.562 kgs	0.287 m³

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

Related Products & Accessories: ITCB-DV HV PE(54000.6100)

FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000

NON-LOCKING STAND ASSY, TF SERVER GEN3

Product #: 39795.0200

STAND ASSY KIT, TF SERVER

Product #: 54473.1000

FUNNEL ASSY, SST INFUSION COFFEE ENG/ FR

Product #: 54675.7001[2]

KIT, BUNNLINK WIFI TEA AND INFUSION

Product #: 57132.0003

KIT, LTE BUNNLINK BOARD TEA AND INFUSION

Product #: 57133.0003

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

Serving & Holding Options: ITCB-DV HV PE(54000.6100)

TD4T, SIGHT GAUGE NUDGER HDL

Product #: 03250.0004[1]

TD4T,BREW THRU LID NUDGER HDL

Product #: 03250.0005[1]

TD4T, BREW THRU LID NO DECAL NUDGER HDL

Product #: 03250.0018[1]

AIRPOT, 2.5L SST LA 6/ CASE

Product #: 32125.0100[6]

Mfr#:SVAP-2500F-N

AIRPOT, 3.0L SST LA SINGLE PK

Product #: 32130.0000[6]

Mfr#:SVAP-3000F-N

AIRPOT, 3.0L SST LA 6/ CASE

Product #: 32130.0100[6]

Mfr#:SVAP-3000F-N

TDS-3, 3 GAL

Product #: 33000.0000[1]

TDS-3.5, 3.5 GAL

Product #: 33000.0023[1]

TDO-4, RESERVOIR

Product #: 34100.0000[1]

TDO-5, RESERVOIR

Product #: 34100.0001[1]

TDO-4, RESERVOIR BREW THRU

Product #: 34100.0002[1]

TDO-5, RESERVOIR, BREW THRU

Product #: 34100.0003[1]

THERMAL CARAFE,ORN 1.9L 12PK

Product #: 36252.0000[5]

Mfr#:SH-DE19A

THERMAL CARAFE,ORN 1.9L 1PK

Product #: 36252.0001[5]

Mfr#:SH-DE19A

AIRPOT, 3.8L SST LA SINGLE PK

Product #: 36725.0000[6]

Mfr#:SVAP-3800F-N

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

Serving & Holding Options: ITCB-DV HV PE(54000.6100)

AIRPOT, 3.8L SST LA 6/ CASE

Product #: 36725.0100[6]

Mfr#:SVAP-3800F-N

TDO-N-3.5, RSVR

Product #: 39600.0001[1]

TDO-N-4.0, RSVR BUNN

Product #: 39600.0002[1]

TDO-N-3.5, RSVR W/ LIFT HANDLE

Product #: 39600.0031[1]

TDO-N-3.5, RSVR W/ PINCH TUBE

Product #: 39600.0047[1]

TF SERVER, 1G DSG GEN3

Product #: 42700.6200[1]

TF SERVER, 1.5G DSG GEN3

Product #: 42750.6200[1]

TD3T-N, RSVR BREW THRU LID BUNN

Product #: 43900.0001[1]

TD3T-N, RSVR SOLID LID BUNN

Product #: 43900.0002[1]

TF SERVER, 1G MECH GEN3

Product #: 44000.6200[1]

TF SERVER, 1.5G MECH GEN3

Product #: 44050.6200[1]

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

WELBILT
an Ali Group Company