

ICB SH PE, 200V W/WRLESS

Height: 32.8" (83.3cm) Width: 11.8" (30.0cm) Depth: 23.3" (59.2cm)



- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- ENERGY STAR® certified
- ICB SH 52100.0100 is compatible with new Infusion SH servers, new TF 1.5-gallon ThermoFresh® Servers (with Base), all previous generations of TF 1.5-gallon TF Servers (with Base) and Titan® 1.5-gallon servers
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Wireless Server monitoring
- Fast flow hot water faucet
- Electronic funnel lock prevents removal of each brew funnel until drip-through is complete

Agency:

Server(s) sold separately

Specifications

Product #: 52100.0500

Funnel: Stainless Steel

Water Access: Plumbed

Interface: Wireless

Finish: Stainless/Grey

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
200	16.2	3240	-	-	259	60°F (15.5°C)	1	2	50/60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

CAD Drawings


2D	Revit	KLC

WARNING:



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	32.8 in.	11.8 in.	23.3 in.	32.8 in.	11.8 in.	23.3 in.	44.510 lbs	9.442 ft ³
Metric	83.3 cm	30.0 cm	59.2 cm	83.3 cm	30.0 cm	59.2 cm	20.190 kgs	0.267 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025

Related Products & Accessories: ICB SH PE, 200V W/WRLESS(52100.0500)



FILTERS, GOURMET 500
500/1 50/CL

Product #: 20138.1000



1SH STAND, 120V INF
SERIES

Product #: 27825.02007



2SH STAND, 120V INF
SERIES

Product #: 27875.02007



KIT, DRIP TRAY INF
TWIN SH

Product #: 53452.0000



KIT, DRIP TRAY SINGLE
SH

Product #: 53452.0001



KIT, BUNNLINK WIFI TEA
AND INFUSION

Product #: 57132.0003



KIT, LTE BUNNLINK
BOARD TEA AND
INFUSION

Product #: 57133.0003

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025

Serving & Holding Options: ICB SH PE, 200V W/WRLESS(52100.0500)



SH SERVER, 1.5G/5.7L
INF SERIES

Product #: 27850.0200¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025