

ICB Twin SH PE, 120/240V SST W/Wireless

Height: 32.8" Width: 21.9" Depth: 23.0"
(83.3cm) (55.6cm) (58.4cm)



- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- ENERGY STAR® certified
- ICB Twin SH 53600.0100 is compatible with new Infusion SH servers and the new TF 1.5-gallon ThermoFresh® Servers
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Wireless Server monitoring
- Fast flow hot water faucet
- Stainless steel brew baskets provide durability and ease of cleaning
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- Optional BUNNlink® remote monitoring support (kit required)

Agency:

Server(s) sold separately



Specifications

Product #: 53600.0100

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Funnel: Black Plastic

Faucet: Side

Legs: 4" Stainless Steel Legs

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	280	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

CAD Drawings


2D	Revit	KLC
●		

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	32.8 in.	21.9 in.	23.0 in.	37.5 in.	26.1 in.	28.4 in.	104.350 lbs	16.087 ft³
Metric	83.3 cm	55.6 cm	58.4 cm	95.3 cm	66.4 cm	72.1 cm	47.333 kgs	0.456 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025

Related Products & Accessories: ICB Twin SH PE, 120/240V SST W/Wireless(53600.0100)

 <p>FILTERS, GOURMET 500 500/1 50/CL</p> <p>Product #: 20138.1000</p>	 <p>1SH STAND, 120V INF SERIES</p> <p>Product #: 27825.0200⁷</p>	 <p>2SH STAND, 120V INF SERIES</p> <p>Product #: 27875.0200⁷</p>	 <p>WATER FILTER, EQHP-10L</p> <p>Product #: 39000.0001³</p>	 <p>WATER FILTER, EQHP-10</p> <p>Product #: 39000.0004³</p>
 <p>KIT, DRIP TRAY INF TWIN SH</p> <p>Product #: 53452.0000</p>	 <p>KIT, DRIP TRAY SINGLE SH</p> <p>Product #: 53452.0001</p>	<p>FUNNEL ASSY, SST INFUSION COFFEE</p> <p>Product #: 54675.0008²</p>	 <p>SYSTEM, WQ-55(2)5L</p> <p>Product #: 56000.0001¹</p>	 <p>SYSTEM, WQ-55(2)5</p> <p>Product #: 56000.0004¹</p>
 <p>SYSTEM, WEQ-10(1.5)5L</p> <p>Product #: 56000.0024¹</p>	 <p>SYSTEM, WEQ-10(1.5)5</p> <p>Product #: 56000.0027¹</p>	 <p>CARTRIDGE, WQ-55(2)5L</p> <p>Product #: 56000.0101¹</p>	 <p>CARTRIDGE, WQ-55(2)5</p> <p>Product #: 56000.0104¹</p>	 <p>CARTRIDGE, WEQ-10 (1.5)5L</p> <p>Product #: 56000.0121¹</p>

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025

Related Products & Accessories: ICB Twin SH PE, 120/240V SST W/Wireless(53600.0100)



CARTRIDGE, WEQ-10
(1.5)5

Product #: 56000.0122¹

KIT, BUNNLINK WIFI TEA
AND INFUSION

Product #: 57132.0003

KIT, LTE BUNNLINK
BOARD TEA AND
INFUSION

Product #: 57133.0003



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025

Serving & Holding Options: ICB Twin SH PE, 120/240V SST W/Wireless(53600.0100)



SH SERVER, 1.5G/5.7L
INF SERIES

Product #: 27850.0200¹



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025