# ITCB Dual-Volt High Volume, PE

Height: 35.0" (88.9cm) Width: 10.0" (25.4cm) Depth: 24.3" (61.7cm)

Server(s) sold separately

- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Brews into 1.5 gallon and 1.0 gallon BUNN ThermoFresh® servers for coffee and TD4T, TDO and TDO-N tea dispensers
- Includes both coffee and tea plastic funnels
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Energy-saver mode reduces tank temperature during idle periods
- Large 3gal (11.4L) tank provides back-to-back brewing capacity
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Optional BUNNlink® remote monitoring support (kit required)

Agency:

UL LISTED NSF

## Specifications

**Product #:** 54000.0100

**Finish:** Stainless

**Funnel:** Stainless Steel

**Funnel:** Translucent Tea Funnel

**Water Access:** Plumbed

**Interface:** Wireless

## Additional Features

## Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H²O Temp. | Phase | # Wires plus Ground | Hertz |
|---|---|---|---|---|---|---|---|---|---|
| 120 | 14 | 1700 | Yes | NEMA 5-15P | 82 | 60°F (15.5°C) | 1 | 2 | 60 |
| 120/208 | 14 | 2900 | - | N/A | 136 | 60°F (15.5°C) | 1 | 3 | 60 |
| 120/240 | 17 | 4050 | - | N/A | 183 | 60°F (15.5°C) | 1 | 3 | 60 |

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|---|---|---|---|
| 20-90 | 138-621 | 3/8" Male Flare Fitting | 1.25 |

## CAD Drawings

| 2D | Revit | KLC |
|---|---|---|
| ● | | |

**WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

For most current specifications and other info visit bunn.com.

Last Updated: 10/16/2026




| | Unit | | | Shipping | | | | |
|---|---|---|---|---|---|---|---|---|
| | **Height** | **Width** | **Depth** | **Height** | **Width** | **Depth** | **Weight** | **Volume** |
| English | 35.0 in. | 10.0 in. | 24.3 in. | 38.1 in. | 14.3 in. | 32.3 in. | 78.400 lbs | 10.139 ft³ |
| Metric | 88.9 cm | 25.4 cm | 61.7 cm | 96.8 cm | 36.2 cm | 81.9 cm | 35.562 kgs | 0.287 m³ |

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/16/2026

# Related Products & Accessories: ITCB Dual-Volt High Volume, PE(54000.0100)

FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000

NON-LOCKING STAND ASSY, TF SERVER GEN3

Product #: 39795.0200

KIT, FAUCET INSTALL-ICB/ITB/ITCB& HV

Product #: 42655.0007

STAND ASSY KIT, TF SERVER

Product #: 54473.1000

FUNNEL ASSY, SST INFUSION COFFEE

Product #: 54675.0001

KIT, BUNNLINK WIFI TEA AND INFUSION

Product #: 57132.0003

KIT, LTE BUNNLINK BOARD TEA AND INFUSION

Product #: 57133.0003

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/16/2026

# Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)

TD4T, SIGHT GAUGE NUDGER HDL

Product #: 03250.0004[1]

TD4T,BREW THRU LID NUDGER HDL

Product #: 03250.0005[1]

TD4T, BREW THRU LID NO DECAL NUDGER HDL

Product #: 03250.0018[1]

AIRPOT, 2.5L SST LA 6/ CASE

Product #: 32125.0100[6]

Mfr#:SVAP-2500F-N

AIRPOT, 3.0L SST LA SINGLE PK

Product #: 32130.0000[6]

Mfr#:SVAP-3000F-N

AIRPOT, 3.0L SST LA 6/ CASE

Product #: 32130.0100[6]

Mfr#:SVAP-3000F-N

TDS-3, 3 GAL

Product #: 33000.0000[1]

TDS-3.5, 3.5 GAL

Product #: 33000.0023[1]

TDO-4, RESERVOIR

Product #: 34100.0000[1]

TDO-5, RESERVOIR

Product #: 34100.0001[1]

TDO-4, RESERVOIR BREW THRU

Product #: 34100.0002[1]

TDO-5, RESERVOIR, BREW THRU

Product #: 34100.0003[1]

THERMAL CARAFE, BLK 1.9L 12PK

Product #: 36029.0000[5]

Mfr#:SH-DE19A

THERMAL CARAFE, BLK 1.83 L 1PK

Product #: 36029.0001[5]

Mfr#:SH-DE19A

THERMAL CARAFE,ORN 1.9L 12PK

Product #: 36252.0000[5]

Mfr#:SH-DE19A

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/16/2026

# Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)

THERMAL CARAFE,ORN 1.9L 1PK

Product #: 36252.0001[5]

Mfr#:SH-DE19A

AIRPOT, 3.8L SST LA SINGLE PK

Product #: 36725.0000[6]

Mfr#:SVAP-3800F-N

AIRPOT, 3.8L SST LA 6/ CASE

Product #: 36725.0100[6]

Mfr#:SVAP-3800F-N

TDO-N-3.5, RSVR

Product #: 39600.0001[1]

TDO-N-3.5, RSVR W/ LIFT HANDLE

Product #: 39600.0031[1]

TDO-N-3.5, RSVR W/ PINCH TUBE

Product #: 39600.0047[1]

TF SERVER, DSG2 1G/3.8L

Product #: 42700.0000[1]

TF SERVER, 1G DSG GEN3

Product #: 42700.0200[1]

TF SERVER, DSG2 1.5G SST

Product #: 42750.0000[1]

TF SERVER, DSG2 1.5G BLK

Product #: 42750.0001[1]

TF SERVER, DSG2 1.5G CD

Product #: 42750.0003[1]

TF SERVER, 1.5G DSG GEN3

Product #: 42750.0200[1]

TF SERVER, 1G/3.8L MECH

Product #: 44000.0000[1]

TF SERVER, 1G MECH GEN3

Product #: 44000.0200[1]

TF SERVER, 1.5G/5.7L MECH

Product #: 44050.0000[1]

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/16/2026

# Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)

TF SERVER, 1.5G/5.7L MECH BLK

Product #: 44050.0001[1]

TF SERVER, 1.5G MECH GEN3

Product #: 44050.0200[1]

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/16/2026

WELBILT
an Ali Group Company