

ITCB-DV HV PE PRO, 120/208-240 V

Height: 35.0" (88.9cm) Width: 10.0" (25.4cm) Depth: 24.3" (61.7cm)



- Brew a variety of recipes between 100°-207° and ambient with on-demand temperatures
- Engineered to meet diverse beverage needs this is the all-in-one solution allowing users to seamlessly brew a variety of high-quality beverages
- Versatility meets quality in our innovative design, seamlessly integrates cutting-edge technology and user-friendly features
- Streamline your operation by maximizing output and minimizing effort engineered to deliver exceptional beverages to your customers
- The perfect solution for businesses that value both variety and space optimization
- SmartWAVE sprayhead technology creates an industry best uniformity of extraction for exceptionally smooth tasting coffee
- Includes both coffee and tea funnels
- Electronic funnel locks prevent removal of each brew funnel until drip through is complete
- Exclusive Peak Extraction sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Includes integrated flip tray allows for brewing into thermal carafes and airpots
- Optional BUNNlink remote monitoring support (kit required)

Agency:



Specifications

Product #: 63000.0100

Funnel: Black Plastic Smart Funnel

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Additional Features

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	14.0	1700	Yes	NEMA 5-15P	79	60°F (15.5°C)	1	2	60
120/208	13	2650	-	N/A	135	60°F (15.5°C)	1	3	60
120/240	15	3500	-	N/A	183	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.25

CAD Drawings





2D	Revit	KLC
●	●	●

WARNING:



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/06/2026



1.
















	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	10.0 in.	24.3 in.	38.1 in.	14.3 in.	32.3 in.	78.400 lbs	10.139 ft³
Metric	88.9 cm	25.4 cm	61.7 cm	96.8 cm	36.2 cm	81.9 cm	35.562 kgs	0.287 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/06/2026

Related Products & Accessories:ITCB-DV HV PE PRO, 120/208-240 V(63000.0100)

 <p>FILTERS, GOURMET 500 500/1 50/CL</p> <p>Product #: 20138.1000</p>	 <p>INSTALLATION KIT, SCALE-PRO</p> <p>Product #: 39000.0101</p>	 <p>NON-LOCKING STAND ASSY, TF SERVER GEN3</p> <p>Product #: 39795.0200</p>	 <p>FUNNEL ASSY, SMART COFFEE BLK-CLEARED</p> <p>Product #: 53463.0038²</p>	 <p>FUNNEL ASSY, TEA NATURAL QUICK BREW</p> <p>Product #: 53463.0039²</p>
 <p>FUNNEL ASSY, BUBBLE TEA/COLD BREW</p> <p>Product #: 53463.0046</p>	 <p>STAND ASSY KIT, TF SERVER</p> <p>Product #: 54473.1000</p>	 <p>FUNNEL ASSY, SST INFUSION COFFEE</p> <p>Product #: 54675.0008²</p>	 <p>SYSTEM, WQ-55(2)5L</p> <p>Product #: 56000.0001¹</p>	 <p>SYSTEM, WQ-55(2)5</p> <p>Product #: 56000.0004¹</p>
 <p>SYSTEM, WEQ-10(1.5)5L</p> <p>Product #: 56000.0024¹</p>	 <p>SYSTEM, WEQ-10(1.5)5</p> <p>Product #: 56000.0027¹</p>	 <p>SYSTEM, WEQ-SCALE-PRO.X</p> <p>Product #: 56000.0033¹</p>	 <p>CARTRIDGE, WQ-55(2)5</p> <p>Product #: 56000.0104¹</p>	 <p>CARTRIDGE, WEQ-SCALE-PRO.X</p> <p>Product #: 56000.0120¹</p>

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/06/2026

Related Products & Accessories:ITCB-DV HV PE PRO, 120/208-240 V(63000.0100)



CARTRIDGE, WEQ-10
(1.5)5L

Product #: 56000.01211



CARTRIDGE, WEQ-10
(1.5)5

Product #: 56000.01221



KIT, BUNNLINK WIFI TEA
AND INFUSION

Product #: 57132.0003



KIT, LTE BUNNLINK
BOARD TEA AND
INFUSION

Product #: 57133.0003



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/06/2026

Serving & Holding Options: ITCB-DV HV PE PRO, 120/208-240 V(63000.0100)

 <p>AIRPOT, 3.0L SST LA SINGLE PK</p> <p>Product #: 32130.0000⁶ Mfr#:SVAP-3000F-N</p>	 <p>AIRPOT, 3.0L SST LA 6/ CASE</p> <p>Product #: 32130.0100⁶ Mfr#:SVAP-3000F-N</p>	 <p>TDO-5, RESERVOIR</p> <p>Product #: 34100.0001¹</p>	 <p>TDO-4, RESERVOIR BREW THRU</p> <p>Product #: 34100.0002¹</p>	 <p>TDO-5, RESERVOIR, BREW THRU</p> <p>Product #: 34100.0003¹</p>
 <p>THERMAL CARAFE,ORN 1.9L 12PK</p> <p>Product #: 36252.0000⁵ Mfr#:SH-DE19A</p>	 <p>THERMAL CARAFE,ORN 1.9L 1PK</p> <p>Product #: 36252.0001⁵ Mfr#:SH-DE19A</p>	 <p>AIRPOT, 3.8L SST LA SINGLE PK</p> <p>Product #: 36725.0000⁶ Mfr#:SVAP-3800F-N</p>	 <p>AIRPOT, 3.8L SST LA 6/ CASE</p> <p>Product #: 36725.0100⁶ Mfr#:SVAP-3800F-N</p>	 <p>TDO-N-3.5, RSVR</p> <p>Product #: 39600.0001¹</p>
 <p>TDO-N-4.0, RSVR BUNN</p> <p>Product #: 39600.0002¹</p>	 <p>TDO-N-3.5, W/BREW THRU LID</p> <p>Product #: 39600.0081¹</p>	 <p>TDO-N-3.5,RSVR W/ PINCHTUBE/BREW THRU LID</p> <p>Product #: 39600.0083¹</p>	 <p>TF SERVER, 1G DSG GEN3</p> <p>Product #: 42700.0200¹</p>	 <p>TF SERVER, 1G DSG GEN3 NOBASE</p> <p>Product #: 42700.0250¹</p>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/06/2026

Serving & Holding Options: ITCB-DV HV PE PRO, 120/208-240 V(63000.0100)



TF SERVER, 1.5G DSG
GEN3

Product #: 42750.0200¹



TF SERVER, 1.5G DSG
GEN3 NOBASE

Product #: 42750.0250¹



TD3T-N, RSVR BREW
THRU LID BUNN

Product #: 43900.0001¹



TF SERVER, 1G MECH
GEN3

Product #: 44000.0200¹



TF SERVER, 1G MECH
GEN3 NOBASE

Product #: 44000.0250¹



TF SERVER, 1.5G MECH
GEN3

Product #: 44050.0200¹



TF SERVER, 1.5G MECH
NOBASE GEN3

Product #: 44050.0250¹



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/06/2026