

# BTB, PREMIA 208-240V BUNNLINK WIFI AC

Height: 33.5" Width: 26.4" Depth: 24.4"  
(85.1cm) (67.1cm) (62.0cm)



- Drip-style flavor profile with no crema and excellent cup clarity
- Meet peak daypart demands with fast dispense to increase speed of service and decrease customer wait times
- Automated system manages coffee availability, waste and freshness through all dayparts
- Minimal labor demand with only minutes of operator hands-on time per day
- Push and hold dispense allows consumers to customize individual beverages with ability to mix and match coffee varieties and determine desired fill levels to leave room for other beverage ingredients
- Data on consumption and waste helps drive coffee program decisions and profitability
- Brew on Demand mode to minimize waste and ensure coffee availability
- Liquid auto clean will ensure that the machine is cleaned daily with the proper cleaning solution. Cleaning is automatically initiated when the shroud is placed on the unit. Go up to 30 days without the need to refill cleaner

Agency:



## Specifications

**Product #:** 61000.0002

**Water Access:** Plumbed

**Interface:** Cabled

**Finish:** Stainless/Black

**Faucet:** None

**Hoppers:** Three

**Hopper Capacity:** 3.30 lbs (1.361 kgs)

**Display:** Full Color Touch

## Additional Features

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
208-240	22.0	5200	Yes	NEMA L6-30P	220	60°F (15.5°C)	1	2	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
30-90	207-621	3/8" Male Flare Fitting	1.50

**WARNING:**


## CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
04/14/2025



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	33.5 in.	26.4 in.	24.4 in.	-	-	-	200.000 lbs	-
Metric	85.1 cm	67.1 cm	62.0 cm	-	-	-	90.720 kgs	-



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
04/14/2025

Related Products & Accessories: BTB, PREMIA 208-240V BUNNLINK WIFI AC  
(61000.0002)



BRUSH, ANGLED 12  
INCH

Product #: 47745.0000



SYSTEM, WEQ-35(3).2L

Product #: 56000.0034



CARTRIDGE, WEQ-35  
(3).2L

Product #: 56000.0126



LIQUID CLEANER,  
CLEARLY COFFEE CASE

Product #: 58602.0002



KIT, UNDERCOUNTER  
CONTAINER

Product #: 59071.1000



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
04/14/2025



SH RESERVOIR, 1.0G  
BATCH

Product #:27850.0301