

# ICB Twin Platinum Edition, 120/240V SST

Height: 26.8" Width: 20.2" Depth: 24.7"  
(68.1cm) (51.3cm) (62.7cm)



- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon) baseless Thermofresh servers
- Large 5.6 gallon (21.2L) tank provides back-to-back brewing capacity
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of the brew funnel until drip- through is complete
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Optional BUNNlink® remote monitoring support (kit required)

Agency:

Server(s) sold separately



## Specifications

**Product #:** 53400.0100

**Funnel:** Black Plastic

**Water Access:** Plumbed

**Interface:** Wireless

**Finish:** Stainless

## Additional Features

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	280	60°F (15.5°C)	1	3	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

## CAD Drawings


2D	Revit	KLC
●		

**WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
05/15/2026



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	26.8 in.	20.2 in.	24.7 in.	30.0 in.	23.9 in.	28.4 in.	83.000 lbs	11.761 ft <sup>3</sup>
Metric	68.1 cm	51.3 cm	62.7 cm	76.2 cm	60.6 cm	72.1 cm	37.649 kgs	0.333 m <sup>3</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
05/15/2026

# Related Products & Accessories: ICB Twin Platinum Edition, 120/240V SST(53400.0100)

 <p><b>FILTERS, GOURMET 500</b> 500/1 50/CL</p> <p>Product #: 20138.1000</p>	 <p><b>WATER FILTER,</b> EQHP-10L</p> <p>Product #: 39000.0001<sup>3</sup></p>	 <p><b>WATER FILTER,</b> EQHP-10</p> <p>Product #: 39000.0004<sup>3</sup></p>	 <p><b>FUNNEL ASSY, SST</b> INFUSION COFFEE</p> <p>Product #: 54675.0001</p>	 <p><b>FUNNEL ASSY, SST</b> INFUSION COFFEE</p> <p>Product #: 54675.0008<sup>2</sup></p>
 <p><b>SYSTEM, WQ-55(2)5L</b></p> <p>Product #: 56000.0001<sup>1</sup></p>	 <p><b>SYSTEM, WQ-55(2)5</b></p> <p>Product #: 56000.0004<sup>1</sup></p>	 <p><b>SYSTEM, WEQ-10(1.5)5L</b></p> <p>Product #: 56000.0024<sup>1</sup></p>	 <p><b>SYSTEM, WEQ-10(1.5)5</b></p> <p>Product #: 56000.0027<sup>1</sup></p>	 <p><b>CARTRIDGE, WQ-55(2)5L</b></p> <p>Product #: 56000.0101<sup>1</sup></p>
 <p><b>CARTRIDGE, WQ-55(2)5</b></p> <p>Product #: 56000.0104<sup>1</sup></p>	 <p><b>CARTRIDGE, WEQ-10</b> (1.5)5L</p> <p>Product #: 56000.0121<sup>1</sup></p>	 <p><b>CARTRIDGE, WEQ-10</b> (1.5)5</p> <p>Product #: 56000.0122<sup>1</sup></p>	 <p><b>KIT, BUNNLINK WIFI TEA</b> AND INFUSION</p> <p>Product #: 57132.0003</p>	 <p><b>KIT, LTE BUNNLINK</b> BOARD TEA AND INFUSION</p> <p>Product #: 57133.0003</p>

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Vivreau Ltd <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
05/15/2026

# Serving & Holding Options: ICB Twin Platinum Edition, 120/240V SST(53400.0100)

 <p><b>AIRPOT, 2.5L SST LA SINGLE PK</b></p> <p>Product #: 32125.0000<sup>6</sup> Mfr#:SVAP-2500F-N</p>	 <p><b>AIRPOT, 2.5L SST LA 6/ CASE</b></p> <p>Product #: 32125.0100<sup>6</sup> Mfr#:SVAP-2500F-N</p>	 <p><b>AIRPOT, 3.0L SST LA SINGLE PK</b></p> <p>Product #: 32130.0000<sup>6</sup> Mfr#:SVAP-3000F-N</p>	 <p><b>AIRPOT, 3.0L SST LA 6/ CASE</b></p> <p>Product #: 32130.0100<sup>6</sup> Mfr#:SVAP-3000F-N</p>	 <p><b>AIRPOT, 3.8L SST LA SINGLE PK</b></p> <p>Product #: 36725.0000<sup>6</sup> Mfr#:SVAP-3800F-N</p>
--	--	--	--	--

 <p><b>AIRPOT, 3.8L SST LA 6/ CASE</b></p> <p>Product #: 36725.0100<sup>6</sup> Mfr#:SVAP-3800F-N</p>	 <p><b>TF SERVER, DSG2 1G SST NOBASE</b></p> <p>Product #: 42700.0050<sup>1</sup></p>	 <p><b>TF SERVER, DSG2 1G BLK NOBASE</b></p> <p>Product #: 42700.0051<sup>1</sup></p>	 <p><b>TF SERVER, 1G DSG GEN3 NOBASE</b></p> <p>Product #: 42700.0250<sup>1</sup></p>	 <p><b>TF SERVER, DSG2 1.5G SST NOBAS</b></p> <p>Product #: 42750.0050<sup>1</sup></p>
--	--	--	--	---

 <p><b>TF SERVER, 1G/3.8L MECH NOBASE</b></p> <p>Product #: 44000.0050<sup>1</sup></p>	 <p><b>TF SERVER, 1G/3.8L MECH BLK NOBASE</b></p> <p>Product #: 44000.0051<sup>1</sup></p>	 <p><b>TF SERVER, 1G MECH GEN3 NOBASE</b></p> <p>Product #: 44000.0250<sup>1</sup></p>	 <p><b>TF SERVER, 1.5G/5.7L MECH NOBASE</b></p> <p>Product #: 44050.0050<sup>1</sup></p>	 <p><b>TF SERVER, 1.5G/5.7L MECH BLK NOBASE</b></p> <p>Product #: 44050.0051<sup>1</sup></p>
---	---	---	---	---

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Vivreau Ltd <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
05/15/2026

# Serving & Holding Options: ICB Twin Platinum Edition, 120/240V SST(53400.0100)



STAND ASSY, TF  
SERVER

Product #: 54473.0000

STAND ASSY KIT, TF  
SERVER

Product #: 54473.1000



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
05/15/2026