ICBA PE, CE 220-240V

Height: 26.8" (68.1cm) Width: 10.2" (25.9cm) Depth: 22.1" (56.1cm)

Server(s) sold separately

- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- The Infusion Series® Platinum Edition relies on the powerful duo of the Peak Extraction Sprayhead and SmartWAVE® technology to further enhance the uniformity of extraction and resistance to limescale buildup.
- USB programming for uploading and downloading recipes and software updates, all in less than a minute
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon) baseless Thermofresh servers
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Electronic funnel lock prevents removal of the brew funnel until drip- through is complete
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Hot water faucet (supplied for custom installation)

Agency:

Specifications

Product #: 53300.0500

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Faucet: Variable

Sprayhead: Silicone-17Holes

Additional Features

Funnel Locks

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
220-240	11.0-12.0	2400-2900	Yes	EURO 16A	141	60°F (15.5°C)	1	2	50-60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

CAD Drawings

2D	Revit	KLC

WARNING:

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026



	Unit			Shipping				
	Height	**Width**	**Depth**	**Height**	**Width**	**Depth**	**Weight**	**Volume**
English	26.8 in.	10.2 in.	22.1 in.	35.8 in.	16.6 in.	28.0 in.	53.710 lbs	7.321 ft³
Metric	68.1 cm	25.9 cm	56.1 cm	90.9 cm	42.2 cm	71.1 cm	24.363 kgs	0.207 m³

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

Related Products & Accessories: ICBA PE, CE 220-240V(53300.0500)

FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000

WATER FILTER, EQHP-10L

Product #: 39000.0001[3]

WATER FILTER, EQHP-10

Product #: 39000.0004[3]

FUNNEL ASSY, SST INFUSION COFFEE

Product #: 54675.0001

FUNNEL ASSY, SST INFUSION COFFEE

Product #: 54675.0008[2]

SYSTEM, WQ-55(2)5L

Product #: 56000.0001[1]

SYSTEM, WQ-55(2)5

Product #: 56000.0004[1]

SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024[1]

SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027[1]

CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101[1]

CARTRIDGE, WQ-55(2)5

Product #: 56000.0104[1]

CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.0121[1]

CARTRIDGE, WEQ-10 (1.5)5

Product #: 56000.0122[1]

KIT, BUNNLINK WIFI TEA AND INFUSION

Product #: 57132.0003

KIT, LTE BUNNLINK BOARD TEA AND INFUSION

Product #: 57133.0003

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

Serving & Holding Options: ICBA PE, CE 220-240V(53300.0500)

AIRPOT, 2.5L SST LA SINGLE PK

Product #: 32125.0000[6]

Mfr#:SVAP-2500F-N

AIRPOT, 2.5L SST LA 6/ CASE

Product #: 32125.0100[6]

Mfr#:SVAP-2500F-N

AIRPOT, 3.0L SST LA SINGLE PK

Product #: 32130.0000[6]

Mfr#:SVAP-3000F-N

AIRPOT, 3.0L SST LA 6/ CASE

Product #: 32130.0100[6]

Mfr#:SVAP-3000F-N

AIRPOT, 3.8L SST LA SINGLE PK

Product #: 36725.0000[6]

Mfr#:SVAP-3800F-N

AIRPOT, 3.8L SST LA 6/ CASE

Product #: 36725.0100[6]

Mfr#:SVAP-3800F-N

STAND ASSY, TF SERVER

Product #: 39795.0003

TF SERVER, DSG2 1G SST NOBASE

Product #: 42700.0050[1]

TF SERVER, DSG2 1G BLK NOBASE

Product #: 42700.0051[1]

TF SERVER, 1G DSG GEN3 NOBASE

Product #: 42700.0250[1]

TF SERVER,DSG2 1.5G SST NOBAS

Product #: 42750.0050[1]

TF SERVER, 1G/3.8L MECH NOBASE

Product #: 44000.0050[1]

TF SERVER, 1G/3.8L MECH BLK NOBASE

Product #: 44000.0051[1]

TF SERVER, 1G MECH GEN3 NOBASE

Product #: 44000.0250[1]

STAND ASSY, TF SERVER

Product #: 54473.0000

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

Serving & Holding Options: ICBA PE, CE 220-240V(53300.0500)

STAND ASSY KIT, TF SERVER

Product #: 54473.1000

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 09/17/2026

an Ali Group Company

the spirit of excellence